EUREXPO LYON

Technical services guide 2020/2021

LYON FOR EVENTS

GL events

Here is the list of all the types of services we can offer for your exhibition:

Electrical services

Telecommunications

Slings, ropes, lightning

Coffee machines / Water fountains

Suspended banners

Waste clearance after show

Video

Parking

Water Supply

Floor anchoring

Compressed air

CONTACT

Exhibitors Service – BP 190 – 69686 Chassieu Cedex – France

For additional quotes, please contact our exhibitors service:

services@eurexpo.com

For additional information, you can go to:

www.eurexpo.com **– Exhibitors Section**

EUREXPO LYON

ELECTRICAL SUPPLY

Every exhibitor requiring an electrical supply on the stand must have an independent electrical connection.
(Article T35, section VII of Safety Regulations relating to fire and panic risks on sites receiving the public – ERP – decree of 25,06,1980).

➔ DESCRIPTION

Service that provides an electrical supply for your stand — rental basis only.

Electricity will be supplied **exclusively** by Eurexpo's approved supplier, who will also provide technical assistance throughout the period of the show. The hardware used will vary depending on your requirements.

An electrical power supply is not systematically provided in your stand. Check the description of your stand with the organiser.

One electrical box can only supply one stand.

IMPORTANT

Before submitting your order, please assess your electricity requirements according to:

· **Utilisation time:**
- Intermittent connection for a supply during the show's opening hours (1h before / 1h after)
- Continuous connection for a supply 24h/day.

· **Rating of equipment to connect**—examples :
Vacuum cleaner: 1.5kW
Water heater 15 litres: 2kW
Micro-wave oven: 1kW
Coffee machine: 0.8 to 4kW
Computer: 0.4kW
Rail of three spotlights: 0.3kW
Refrigerator: 0.4kW

For more information about prices, please check the exhibition's order form or go to the website www.eurexpo.com — Exhibitors section.

POWER SUPPLY	TYPE OF SUPPLY	
From 2 to 20kW Intermittent/Continuous Dimensions: 48cm (L) x 37cm (W) x 35cm (D)	**Service power socket with:** - 3 female sockets 220V single phase, 16A, max 3kW per socket. -1 female P17 380V tetraphase 32A socket (CEE form) **IMPORTANT** : for any single consumption requiring more than 3kW, use a P17 male connector, tetraphase 32A.	
From 30 to 40kW Intermittent/Continuous Dimensions : 75cm (L) x 40cm (W) x 30cm (D)	**Electrical box:** - 1 single phase 220V 16A socket - 1 P17 63A tetraphase socket (CEE form) - 1 63A terminal **IMPORTANT** : Provide a distribution box or a connection. Specify the characteristics of the machine.	
From 60 to 80kW Intermittent/Continuous Dimensions: 115cm (L) x 60cm (W) x 25cm (D)	**Electrical box** - 1 single phase 220V 16A socket - 1 P17 32A tetraphase socket (CEE form) - 1 160A Terminal **IMPORTANT** : Provide a distribution box or a connection. Specify the characteristics of the machine.	
> 80kW	**Please contact our Exhibitors Service by e-mail.** **services@eurexpo.com**	

Characteristics of power supplied:
- In all cases, a protection conductor (earth).
- All our services are equipped with overcurrent protection systems and a main circuit breaker (differential 30mA – Response Curve C)

EUREXPO LYON

INSTALLATION OF ELECTRICAL EQUIPMENT

➔ GENERAL CONDITIONS

- Electrical and distribution boxes will be installed on the floor, in accordance with the dimensioned and oriented plan attached to your order. You can use the drawing provided in the section "Layout of your stand".

- If no plan is provided, standard default connections will be installed, as specified in the next section "electrical installation by default".

- Please, specify whether your stand will be equipped with a technical floor or not (preferred height: 10cm), together with its dimensions and date of installation.

- As required by Safety Regulations, the electrical box must be permanently accessible but out of reach of the public.

- Equipment installed on the stand remains the exhibitor's liability throughout the entire period of the show.

In hall 5.2, electrical cable comes from the roof; the power box will still be set on the floor.

IMPORTANT

The plan should be dimensioned and oriented in relation to the alleys and/or adjacent stands, and clearly show the location of the services ordered.

Power boxes should be positioned close to the technical gutters, particularly if you are not using a technical floor, as cables will be visible on your stand between the connection point and the point of utilisation. Contact the show organiser directly to obtain a gutter layout drawing.

Any request on site concerning a change of position of an electrical box already installed will be invoiced. Prices available on request.

➔ ELECTRICAL INSTALLATION BY DEFAULT

- For every order of electrical connection, the supply will be installed on the stand in accordance with the stand layout submitted by the exhibitor (linked to the order form).

- If the exhibitor does not submit a dimensioned and oriented plan to the Exhibitors Service, the supply will be installed by default as shown below:

STAND LAYOUTS



LEGENDS

Open angle

Partition

Default electrical installation:

1. In closed corner of stand
2. In the centre, against rear partition of stand
3. In closed corner of stand
4. In the centre, against rear partition of stand
5. In centre of stand

EUREXPO LYON

TO INCREASE POWER RATING

➔ PROCEDURE

If your stand already has an electrical connection (electrical box included in your stand package or already ordered), you can change the power allocated depending on your needs:

- By increasing the overall power (buying more kW). **Example** : To uprate an intermittent connection from 3kW to 5kW, order a power increase of 2kW daytime.

- By changing the utilisation times (switch to continuous, 24h/day). **Example** : To change a 3kW daytime connection to a continuous 4kW connection, first order a change to continuous, and then a 1kW increase in the continuous rating.

For the complete applicable price list, refer to the show's order form.

ELECTRICAL SERVICES

SUPPLEMENTARY SERVICES

➔ DETAILED COMPOSITION OF SERVICES

Eurexpo also provides supplementary services to meet your electrical requirements. These services are installed by Eurexpo's approved electrical supplier.

IMPORTANT

Eurexpo technicians are not allowed to work on equipment installed by a third party.

SERVICE	COMPOSITION
Supplementary or remote power sockets	- Single Phase 16A - 220V French remote socket (max 3kW) - Three-phase (on demand): 16A, 32A, 63A, 125A - 380V : 3Ph. + E - Tetraphase (by default) 16A, 32A, 63A, 125A -380V : 3Ph.+ E + N (P17 CEE Form) **IMPORTANT:** The socket does not work without any power supply. Submit an oriented drawing of your stand, showing the exact positioning of your remote power sockets.
Distribution boxes	- Distribution box max 20kW with 6 single-phase sockets 16A and 1 CEE P17 (3P+N+E) socket 32A. - Distribution box for connection over 20kW. **IMPORTANT:** **Over 20kW, Please give the type of electrical outlet you need by email** services@eurexpo.com
Connections	Connection may also be quoted, to connect your machines to the electrical box. **To ask for a quote** services@eurexpo.com
Machine start-up	For machines drawing a start-up current of more than 30mA but less than 300mA, a "machine connection" may be provided, in addition to your main connection (see price list). **IMPORTANT:** Specify the rating(s) of machine(s) requiring this service.
Services based on quote	Quotes may be requested by email to our Exhibitors Service for: - An electrical connection in the halls, on a mezzanine. - An outdoor electrical connection (for all vehicles such as refrigerated or container trucks). - Any specific power requirement or complete wiring of your installation.

EQUIPMENT USED

➔ DESCRIPTION

To enhance your stand, Eurexpo offers overhead displays and lightning solutions. You can thus create your own atmosphere and increase visibility of your company and your products.

Our equipment is available on a rental basis only and should be ordered through our website www.eurexpo.com. For specific products, you can request a quote by email to accrochage@eurexpo.com. Acceptance of the quote constitutes confirmation of the order.

For further information concerning the available services, consult the corresponding technical data sheets on our website: www.eurexpo.com — exhibitors section — suspension services.

➔ DETAIL OF EQUIPMENT USED

STEEL CABLE SLINGS

- Attached to building structural nodes by steel shackles

- Finished with a loop with a wire thimble

- Diameter 25mm

NYLON CORD

For display panels weighing less than 10kg

HOISTING BY PULLEY BLOCKS

Manual or electric hoists

- Or by lifting tower

- Overhead access by elevator pod, reserved for park approved personnel

CHARACTERISTICS	LIGHTNING CONTROL	INCLUDED IN THE SERVICE
- Requests for overhead displays will be technically analysed and loads will be computed. - The location of the building structure nodes may limit overhead display possibilities. - A precision tolerance of 50cm in plan view and 10cm in height must be allowed, as a function of the hall and the weights suspended. - Subject to feasibility, all slings displacements, if it is already suspended, will be billed.	The lightning supplied by Eurexpo is set up the day before the opening of the show, as soon as the exhibited equipment is installed.	- Installation and removal of slings. - Installation and removal of lightning and banners ordered to our service. - For lightning kits: the complete installation of the equipment, the electric connection, and the technical assistance during the exhibition. **For lightning kits, The power supply consumed is not included in the electrical box.**

EXECUTION OF SERVICE

➔ RENTAL TERMS

- You must submit a dimensioned and oriented plan, as soon as possible, showing the overhead equipment to be suspended and the floor junction box, the weight of the suspended equipment, the height of the sling loop and the method of hoisting.

- Contact the organiser directly to obtain a show layout drawing.

A floor level main junction box should be ordered separately from the park Exhibition Service, as a function of the overhead consumption specified for each item.

IMPORTANT

The latest date for ordering is 15 days before the setting up of the show, to allow for feasibility analyses and installation time.

Additional analysis expenses will be invoiced in respect of any changes requested after completion of the technical analysis.

➔ TECHNICAL SERVICES

- During setting up and throughout the show, a feasibility analysis will be conducted in respect of any request changes, and the said changes will only be incorporated when the new quote has been settled in full.

- Park technicians are not allowed to work on equipment installed by a third party.

IMPORTANT

Overhead installations may only be installed by the approved park service technicians.

SLINGS, ROPES, LIGHTNING

TECHNICAL LIMITATIONS

➔ NO OVERHEAD DISPLAY POSSIBLE

- **Gallery 4**
- **Gallery 2** : the entire width and over a length of 6m, from the Place des Lumières.
- **Gallery 6** : the entire width and over a length of 8.50m, from the Place des Lumières.
- **Gallery 7** : the entire width and over a length of 8m, from Hall 6.
- **Passages 21, 22, 3, 34, 45, 5, 4.1-4.2.B**
- **Around the perimeter of the halls** over a width of 3m.
- **The mobile partition positions** only when the partitions are installed.
- **All the decorative finishing panels in the halls**, their supports, ceiling gratings, and passages between halls.

➔ LIMITATION DES HAUTEURS MAXIMALES

The maximum height limits are a function of the show Architectural Regulations imposed by the organiser.
All the halls allow an overhead display suspension at **6m** with the exception of:
- Halls 2.2, 2.3A, 3.2, 5.2: maximum height **5m**.
- Gallery 2: maximum height between 2m and 5.30m, depending on the location.
- Gallery 6: maximum height between 3m and 6m, depending on the location.
- Gallery 7 : maximum height between 3m and 5.50m, depending on the location.

➔ AVAILABLE LOAD

The maximum load authorised above your booth is **10kg/m2.**
Example : for a booth measuring 36m2, you can suspend 360kg maximum.

EQUIPMENT

➔ DESCRIPTION

To become known or be recognised, your identity or sector of activity must be immediately identifiable and correspond to your image. Thus, the success of your stand is dependent on good display panels.

Eurexpo offers a selection of display panel kits that can be ordered via www.eurexpo.com

For specific requirements, ask for a quote via email to accrochage@eurexpo.com

- Display panel kits ordered are installed during the initial setting up of the show, before your arrival.

- You must send us a dimensioned and oriented plan of the items to be suspended, with their respective heights, and the computer file for the printing.

Latest date for orders is 10 days before the setting up of the show, to allow time for validation and production.

CHARACTERISTICS	INSTALLATION	INCLUDED IN THE SERVICE
- Polyester banner without PVC, fireproofing treatment M1, 280g/m2, four-color process single-side digital printing. - Printing: from an electronic file provided by the exhibitor, following validation of "Approved for Printing". - Data file format: vectorised EPS, Illustrator or 700dpi high definition PDF.	The various models are suspended by cords (nylon cords, diameter 4mm), either on the structural framework or under scenic structures, depending on the location.	- Making of the top and bottom sheaths - The cords - The top bars and ballast weight (rented items) - Installation

SUSPENDED BANNERS

TECHNICAL LIMITATIONS

➔ NO OVERHEAD DISPLAY POSSIBLE AND MAXIMUM HEIGHT LIMITS

See the technical restrictions indicated in the section "SLINGS, ROPES, LIGHTNING".

VIDEO

EQUIPMENT AVAILABLE

➔ DESCRIPTION

To meet your requirements for promotional operations and video presentations on your stand, Eurexpo provides a broad range of screens – for rental only.

Screens can be ordered via our website www.eurexpo.com

For specific products and for details about the different screen mounting possibilities, send an email and ask for a quotation to accrochage@eurexpo.com

CHARACTERISTICS	INSTALLATION	INCLUDED IN THE SERVICE
- Formats: 40'', 46'' and 55''	- On legs	- Delivery with speakers
- Software used: Magic Infolight which reads videos continuously or consecutively, with no dark transition screen	- Wall mounted: only on a wooden partition that can be drilled but not adjoining other stands	- Installation and removal
- Reads the following formats: .avi, .mkv, .asf, .wmv, .mp4, .vob, .mpg, .tp, .trp	- Under slings: depending on height required	- Connection to your hardware
- Compatible connector types: DVD reader, PC, USB drive		- Technical assistance

VIDEO

EXECUTION OF SERVICE

➔ TERMS OF RENTAL

- The exhibitor is liable in respect of the equipment throughout the rental period (including installation and removal). Insurance is recommended. Declared values: for a 40'' screen 922€, for a 46'' screen 1095€, for a 55'' screen 1785€.

- The oriented and dimensioned plan showing the precise locations of the junction box, the connections (DVD reader, PC, memory stick) and the rented equipment, must be returned to us.

- Contact the organiser directly to obtain a layout drawing.

IMPORTANT

- An electrical power socket will be required to connect the equipment ordered.

- An electrical connection must be ordered.

- A screen consumes 500W.

Delivery will take place the day before the opening of the show. One of your representatives must be present at the booth during the delivery. Please give us a name and telephone number.

➔ TECHNICAL SERVICES

- A quote will be issued in respect of any changes requested during setting up and throughout the period of the show, and the change will only be incorporated when the full amount of the said quote has been settled.

- Park technicians are not allowed to work on equipment installed by a third party.

EUREXPO LYON

WATER SERVICES

➔ DESCRIPTION

For every stand needing a water supply, Eurexpo provides services to meet your requirements.
Each connected appliance must have a water connection or bypass (not more than 5 bypasses per water connection).

Your stand must have a technical floor (minimum height 10cm) to protect and hide the water supply and drain pipes that will cross the stand area between the connection point and the end utilisation point.

The exhibitor is liable in respect of its own space, and must therefore provide the necessary protection for all pipes and cables, while also meeting all visual appearance requirements.
Example: transit of pipes.

IMPORTANT

Water connection is not possible on the Place des Lumières.
You should ask the feasibility to your technical team if you need one in Hall 5.2, galleries 2, 4 and 6. For further general information, contact the Exhibitors Service.

The exhibitor must provide a dimensioned and oriented plan showing the precise location of the services ordered.

Any modification requested after delivery will be invoiced.

Please mind the location of the technical Gutter.
A show layout drawing may be obtained from the show's organiser.
For outside water services, and the mezzanine in halls, contact the Exhibitors Service directly at services@eurexpo.com

SERVICE	DESCRIPTION	
Main water connection (water supply + drain)	- A cold water supply: flexible hose terminated by a male valve, diameter 15/21mm. The system pressure is 3 bars. - Drainage of waste water: flexible hose, diameter 40/49mm. (max temperature 60°C). **Option**: You can order the connection of an appliance by our technicians (check the show's order form). **Included in the service**: water consumption during the period of the show.	
Bypass	- Secondary connection from the main connection (maximum 5m of pipes between the two points). - Connection of an appliance made by our technicians (only on an appliance that is connected to the bypass). **Important:** If the main water supply is ordered without connection, the exhibitors will have to ensure it themselves.	

OTHER SERVICES

➔ PRESENTATION

Eurexpo offers services adapted to your needs.
- Sink (one bowl): l 40cm x L 50cm x H 85cm
- Sink one bowl with a rack: l 60cm x Long 60cm x H 85cm
- Water-heater : 15Litres D 34cm x H 35cm. Requested power: 2 kW – Warm in 20 minutes (200 litres available- ask our Exhibitors Service for a quotation)
- Single water supply / single water drain if needed
- High temperature drain on quotation only (more than 60°C)

- Filling and Emptying of a Pool. During the filling time, someone responsible of your company must be on your stand. The emptying are made at the end of the fair, we do not schedule appointments.

Supplementary services are executed the day before the opening of the show.

EUREXPO LYON

MAIN COMPRESSED AIR SUPPLY

➔ DESCRIPTION

Eurexpo can provide compressed air supply on your stand. For any request, please contact the Exhibitors Service.

Your supply points should be positioned nearby a technical gutter, particularly if you don't have a technical floor, as the cables and pipes will run on your stand until the requested location of your appliances.

You will be in charge of providing the necessary protection for the pipes, without spoiling the visual appearance of the stand.

IMPORTANT

The exhibitor must provide a dimensioned and oriented plan showing the precise positioning of the services ordered.

The user should check the compressed air supply before connecting a tool or appliance, particularly for pressure and condensation.

The user should provide all necessary protection, in order to prevent any possibility of equipment damage.

You can ask for the location of the nearest gutters to the tradeshow's organisation.
Any last-minute, on-site modification of your booth layout will be invoiced.

SERVICE	DESCRIPTION	INCLUDED IN THE SERVICE
Main compressed air inlet	- Supply to a female threaded spherical ball valve, diameter 15/21mm (=1/2 inch) delivering a maximum pressure of 6 bars, for delivery rates: • less than 12m3/hour (=200l/min max) • Less than 20m3/hour (=330l/minute max) • Less than 35m3/hour (=580l/min max) • Less than 60m3/hour (= 1 000l/min max) Pressure: 6 bars maximum. **Option**: connection to an appliance made by our technicians.	- Set-up of the service - Technical supervision - Maintenance of the network - Compressed air consumed

COMPRESSED AIR SUPPLIES

OTHER SERVICES

➔ DESCRIPTION

Supplementary services are also available:

- Secondary air inlet from the main inlet (connection included in the bypass).

- Connection from the main inlet pipe to your appliances.

The compressed air system should be operational one day before the opening of the show, check this information with our Eurexpo team.

TELEPHONE

➔ DESCRIPTION

Eurexpo can provide a rented analogue telephone line for the connection of a telephone, fax (not supplied) or payment terminal (not supplied).

Only Eurexpo's authorised supplier can install the services ordered.

SERVICE	DESCRIPTION
Analogue telephone line	The telephone handset is offered free of charge
ISDN / NUMERIS line	Contact our Exhibitors Service services@eurexpo.com for a quote.

INTERNET

➔ CHARACTERISTICS

To remain online permanently, Eurexpo provides an Internet access to meet your requirements, operating in DHCP (automatic connection) by default.

SERVICE	DESCRIPTION	
Internet by wire	Internet access by wire (SDSL) high security with guaranteed up and down rate from 3 Mbps to 50 Mbps. (ask our team for more) One RJ45 plug is included. **CAUTION**: For technical and safety reasons, this type of service can only be installed by the Exhibition Park technicians. You must not create your own private Wi-Fi network.	
Wi-fi	- Individual Wi-Fi access, 1 appliance connected at a time. - Custom Wi-Fi cover up to 10, 20 or 50 devices connected simultaneously to the same network.	
Supplementary services	- Public IP option (if you need your own Public IP without using Eurexpo's default one). - Extra RJ45 network wires (per terminal), the switch is included. **CAUTION**: You must have the administrator's rights for the terminals concerned. If you want to connect several computers to a wire line, you will need an RJ45 wiring for each terminal.	
Services on a quote basis: contact our Exhibitors Service	To enable us to quote, please specify the bandwidth and number of simultaneous connections required.	

IMPORTANT

It is forbidden to create your own private Wi-Fi network.
Please, submit an oriented drawing with the positioning of the hardware ordered (except for Wi-Fi).
Internet cables are installed during the setting up of the show and will be operational the day before the opening.
Only Eurexpo technicians are able to install the services ordered.

COFFEE MACHINES

➔ DESCRIPTION

To make your booth at the show more pleasant or to warmly welcome your visitors, Eurexpo offers a coffee machine rental service that will delight everyone.

IMPORTANT

If your stand already has a power box, keep a socket free for the equipment ordered. Otherwise, you can order a specific electrical connection.

A coffee machine consumes up to 2kW.

The rented equipment will be delivered to the stand on the day before the show opens.

SERVICE	DESCRIPTION
Coffee machine + kit	- Coffee machine: 41cm (L) x 24cm (W) x 42cm (D) - 150 caps of the best coffee blends - 150 eco-friendly cups - 150 packets of granulated sugar - 150 eco-friendly stirrers
Refill	- 150 capsules of the best coffee blends - 150 plastic cups - 150 packets of granulated sugar - 150 eco-friendly stirrers

WATER FOUNTAINS

➔ DESCRIPTION

Water fountains are also available on rental, offering refreshments for you and your visitors.

IMPORTANT

Works without electricity.

You can plug it to your power box if you want cold water: an available power socket will be required.
Make sure to include the water fountain approximate consumption of 400W into your initial power order.

The rented equipment will be delivered to your stand on the day before the opening of the show.

SERVICE	DESCRIPTION
Water fountain + kit	- Water fountain: 193cm (L) with the container x 34 cm (D) - 2 containers of 20 litres of water (spring water) - 200 eco-friendly cups
Refill	- 1 container of 20 litres of water - 100 eco-friendly cups

WASTE SKIPS RENTAL

Under the terms of law 92-646 of 12.07.1992, the exhibitor is responsible for its own waste and that of its subcontractors, and for waste clearance from site. The exhibitor must also ensure that final waste disposal meets all regulatory requirements relating to the environment and to selective sorting. This could be done through Eurexpo technical services or their approved contractors, who will removal all waste and ensure treatment in accordance with the applicable regulations.

➔ DESCRIPTION

After the show, the exhibitor must leave the stand clear of waste. Eurexpo offers either a 30m3 waste skip for rental, or a waste removal service per m3.

The exhibitor's name is marked on the waste skip for identification. Please, specify the name when ordering.

The skip will be provided the morning after the show closes, the closest location possible, on the outside car park, providing sufficient space is available.

SERVICE	DESCRIPTION	INCLUDED IN THE SERVICE
Rental of waste skips 30m3 *Excluding filling and handling*	- Waste skip 30m3. - Height 2m40. - **Differentiation between Wood and Mixed waste** **CAUTION**: the exhibitor must sort and pick up the waste, and fill the skip.	- Delivery and removal of the waste skip. - Technical supervision.
Rental of waste skips 30m3 *Including waste collection from stand*	Waste picked up from the stand by Eurexpo's technical staff and transferred to the rented skip. **Differentiation between Wood and Mixed waste** **CAUTION**: the exhibitor must place the waste on pallets, on the booth.	- Delivery and removal of the waste skip. - Permanent technical presence. - Transfer of waste from booth to skip.
Waste removal, per m3	Wastes picked up from the stand by Eurexpo's technical staff, per m3. **Differentiation between Wood and Mixed waste** **CAUTION**: the exhibitor must dismantle his stand and gather all his waste.	Transfer of waste from booth to skip.

SERVICE

➔ DESCRIPTION

Eurexpo provides exhibitors with car parking facilities close to the exhibition halls. To use these parking facilities, you must buy a car park card. It is valid for vehicles weighing **less than 3.5T**.

For vehicles weighing **more than 3.5T** parking around the halls is prohibited during the show.

During building and dismantling days, the exhibitors and his subcontractors have to download and print a special pass (link is send by the organization of the exhibition) for entering the park

IMPORTANT

Exhibitors car park safety information:

- Access to the Exhibitors car park is controlled.

- The Exhibitors car park is not guarded. The fees paid are parking fees and do not include the security services.

- Vehicle owners are fully liable in respect of any risks related to parking.

- Parking is prohibited on the priority lanes reserved for fire and safety services.



PARKING DETAILS

➔ PARKING CARDS RECOVERY

Car park cards are not always included in your "stand package". Please, check with the Tradeshow's organisation.

Supplementary car park cards or those ordered directly from the Exhibitors Service without postage should be recovered on site, during the mounting phase.

If you opted for the car park cards to be sent by post mail, your cards will be sent to you some days after the deadline of postage order (refer to the terms of the show) at the address specified on the order form.

All exhibitors from within the EU and from OUTSIDE the EU have to pay 20% VAT on the car park cards.

IMPORTANT

For some shows, car park cards are not sent out and have to be picked up at the Exhibitors Service.

Car park cards ordered and not used cannot be refunded.

TAPE

➔ DESCRIPTION

During carpet fitting, please respect the following rules.

Caution, standard tape is allowed accept on some sensitive areas:

- Place des Lumières
- Main entrance, reception Confluence and reception Bocuse
- Halls 2.3 and 6.3
- Halls 1 and 6.1 entries

For these areas, you need to use the following tape: **ref 4023 with Rubantex.**
Contact Rubantex : rubantex@wanadoo.fr – +33 (0)4 72 05 65 50

IMPORTANT

All degradation will be invoiced via the state of place made in the beginning of setting up and at the end of rehabilitation of your spaces.

FLOOR ANCHORING

CONCRETE ANCHORING

➔ DESCRIPTION

Because of a large number of constraints, we strongly recommend to use load distribution plates. Each floor fixing is subject to validation by Eurexpo.

Your request has to respect the following characteristics:

- Concrete anchoring is only possible on road coating floors for halls 1, 2.1, 2.2, 3.1, 3.2, 4.1, 4.2, 5.1, 5.2, 6.1, 6.2, 7 , Galleries 2, 4 et 6.
- Concrete anchoring is forbidden in certain areas: Main entrance / Place des Lumières, Esplanade, Hall 2.3 and 6.3, North and South patios, Footbridges.
- Maximum diameter: 15mm
- Maximum width: 10cm
- Loads : 1.5 Ton/m2 on road coating floors, 0.5 Ton/m2 on technical gutters with load distribution plates.

Each hole will be invoiced (290€).

We are not responsible of the metal anchors resistance.

IMPORTANT

These anchor points have to be declared and ordered (on a quote basis only) imperatively to Eurexpo. If anchor points are not declared, this will be considered as a transgression, and it will be invoiced to the exhibitor with a raised price of 600€ per hole.